


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

In the Claims:

What is claimed is:

Claim 1 (Currently Amended): A compound of Formula (I):



or a salt, solvate, or physiologically functional derivative thereof:
wherein:

D is $-NRR^1$, $-OR$, $-SR$, $-S(O)R$, or $-S(O)_2R$;

R is hydrogen, C_1 - C_8 alkyl, C_3 - C_7 cycloalkyl, aralkyl, aryl, heteroaryl, $-C(O)NR^1R^1$, $-C(O)OR^1$, acyl, aroyl, or heteroaroyl;

R^1 is hydrogen, C_1 - C_8 alkyl, C_3 - C_7 cycloalkyl, aralkyl, or aryl;

R^2 is C_1 - C_6 alkyl or C_3 - C_7 cycloalkyl;

R^3 is hydrogen, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, aralkyl, cyanoalkyl, $-(CH_2)_pC=CH(CH_2)_tH$, $-(CH_2)_pC\equiv C(CH_2)_tH$, or C_3 - C_7 cycloalkyl;

p is 1, 2, or 3;

t is 0 or 1;

R⁴ is hydrogen, halo, or cyano;

Q₁ is hydrogen, halo, C₁-C₂ haloalkyl, C₁-C₂ alkyl, C₁-C₂ alkoxy, or C₁-C₂ haloalkoxy;

Q₂ is A¹ or A²;

Q₃ is A¹ when Q₂ is A² and Q₃ is A² when Q₂ is A¹;

wherein

A¹ is hydrogen, halo, C₁-C₃ alkyl, C₁-C₃ haloalkyl, -OR⁵, and

A² is the group defined by -(Z)_m-(Z¹)-(Z²), wherein

Z is CH₂ and m is 0, 1, 2, or 3, or

Z is NR⁵ and m is 0 or 1, or

Z is oxygen and m is 0 or 1, or

Z is CH₂NR⁶ and m is 0 or 1;

Z¹ is S(O)₂, S(O), or C(O); and

Z² is C₁-C₄ alkyl, cycloalkyl, heterocyclyl, -NR⁸R⁹, aryl, arylamino, aralkyl, aralkoxy, or heteroaryl;

R⁵ and R⁶ are each independently selected from hydrogen, hydroxyl, alkoxy, aryloxy, aralkoxy, C₁-C₄ alkyl, C₃-C₇ cycloalkyl, heterocyclyl, -S(O)₂R⁷, and -C(O)R⁷;


R⁷ is C₁-C₄ alkyl, or C₃-C₇ cycloalkyl;

R⁸ is hydrogen, hydroxyl, C₁-C₆ alkyl, C₁-C₆ alkoxy, aryloxy, aralkoxy, C₃-C₇ cycloalkyl, and C₃-C₇ cycloalkoxy; and

R⁹ is hydrogen, C₁-C₆ alkyl, C₃-C₇ cycloalkyl, aryl, acyl, carbamoyl, or heterocyclyl.

Claim 2 (Currently Amended):

A compound of Formula (II):



(II)

or a salt, solvate, or physiologically functional derivative thereof:

wherein:

R is hydrogen, C_1 - C_8 alkyl, C_3 - C_7 cycloalkyl, aralkyl, aryl, heteroaryl, $-C(O)NR^1R^1$, $-C(O)OR^1$, acyl, aroyl, or heteroaroyl;

R^1 is hydrogen, C_1 - C_8 alkyl, C_3 - C_7 cycloalkyl, aralkyl, or aryl;

R^2 is C_1 - C_6 alkyl or C_3 - C_7 cycloalkyl;

R^3 is hydrogen, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, aralkyl, cyanoalkyl, $-(CH_2)_pC=CH(CH_2)_tH$, $-(CH_2)_pC\equiv C(CH_2)_tH$, or C_3 - C_7 cycloalkyl;

p is 1, 2, or 3;

t is 0 or 1;

R^4 is hydrogen, halo, or cyano;

Q_1 is hydrogen, halo, C_1 - C_2 haloalkyl, C_1 - C_2 alkyl, C_1 - C_2 alkoxy, or C_1 - C_2 haloalkoxy;

Q_2 is A^1 or A^2 ;

Q_3 is A^1 when Q_2 is A^2 and Q_3 is A^2 when Q_2 is A^1 ;

wherein

A^1 is hydrogen, halo, C_1 - C_3 alkyl, C_1 - C_3 haloalkyl, $-OR^5$, and

A^2 is the group defined by $-(Z)_m-(Z^1)-(Z^2)$, wherein

Z is CH_2 and m is 0, 1, 2, or 3, or

Z is NR^5 and m is 0 or 1, or

Z is oxygen and m is 0 or 1, or

Z is CH_2NR^6 and m is 0 or 1;

Z^1 is $\text{S}(\text{O})_2$, $\text{S}(\text{O})$, or $\text{C}(\text{O})$; and

Z^2 is $\text{C}_1\text{-C}_4$ alkyl, cycloalkyl, heterocyclyl, $-\text{NR}^8\text{R}^9$, aryl, arylamino, aralkyl, aralkoxy, or heteroaryl;

R^5 and R^6 are each independently selected from hydrogen, hydroxyl, alkoxy, aryloxy, aralkoxy, $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_3\text{-C}_7$ cycloalkyl, heterocyclyl, $-\text{S}(\text{O})_2\text{R}^7$, or $-\text{C}(\text{O})\text{R}^7$;

R^7 is $\text{C}_1\text{-C}_4$ alkyl, or $\text{C}_3\text{-C}_7$ cycloalkyl;

R^8 is hydrogen, hydroxyl, $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ alkoxy, aryloxy, aralkoxy, $\text{C}_3\text{-C}_7$ cycloalkyl, or $\text{C}_3\text{-C}_7$ cycloalkoxy; and

R^9 is hydrogen, $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_3\text{-C}_7$ cycloalkyl, aryl, acyl, carbamoyl, or heterocyclyl.

Claim 3 (Original): A compound as claimed in claim 1, wherein D is $-\text{NRR}^1$.

Claim 4 (Original): A compound as claimed in claim 1, wherein D is $-\text{NRR}^1$ and R is $\text{C}_1\text{-C}_8$ alkyl, aryl, or aralkyl and R^1 is hydrogen.

Claim 5 (Original): A compound as claimed in claim 1, wherein D is $-\text{NRR}^1$, wherein R is methyl, isopropyl, benzyl, or phenyl and R^1 is hydrogen.

Claim 6 (Previously Presented): A compound as claimed in claim 1, wherein R^2 is $\text{C}_1\text{-C}_8$ alkyl.

Claim 7 (Previously Presented): A compound as claimed in claim 1, wherein R^2 is methyl.

Claim 8 (Previously Presented): A compound as claimed in claim 1, wherein R^3 is hydrogen, C_1 - C_4 alkyl, cyanoalkyl, or $-(CH_2)_pC\equiv C(CH_2)_tH$.

Claim 9 (Previously Presented): A compound as claimed in claim 1, wherein R^3 is hydrogen, methyl, ethyl, isopropyl, cyanomethyl, or $-(CH_2)_pC\equiv C(CH_2)_tH$, wherein p is 1 and t is 0.

Claim 10 (Previously Presented): A compound as claimed in claim 1, wherein R^3 is methyl.

Claim 11 (Previously Presented): A compound as claimed in claim 1, wherein R^4 is hydrogen or halo.

Claim 12 (Previously Presented): A compound as claimed in claim 1, wherein R^4 is hydrogen.

Claim 13 (Previously Presented): A compound as claimed in claim 1, wherein Q_1 is hydrogen, halo, C_1 - C_2 alkyl or C_1 - C_2 alkoxy.

Claim 14 (Previously Presented): A compound as claimed in claim 1, wherein Q_1 is hydrogen, chloro, methyl, or methoxy.

Claim 15 (Previously Presented): A compound as claimed in claim 1, wherein Q_2 is A^1 and Q_3 is A^2 .

Claim 16 (Previously Presented): A compound as claimed in claim 1, wherein Q_2 is A^2 and Q_3 is A^1 .

Claim 17 (Previously Presented): A compound as claimed in claim 1, wherein Q_2 is A^2 and Q_3 is A^1 , wherein A^1 is hydrogen, halo, or C_1 - C_3 haloalkyl and A^2 is the group defined by $-(Z)_m-(Z^1)-(Z^2)$, wherein Z is CH_2 and m is 0 or 1; Z^1 is $S(O)_2$; and Z^2 is C_1 - C_4 alkyl or NR^8R^9 and wherein R^8 is hydrogen C_1 - C_4 alkyl, or alkoxy and R^9 is hydrogen, C_1 - C_4 alkyl, or alkoxy.

Claim 18 (Previously Presented): A compound as claimed in claim 1, wherein Q_2 is A^2 and Q_3 is A^1 , wherein A^1 is hydrogen or chloro and A^2 is the group defined by $-(Z)_m-(Z^1)-(Z^2)$, wherein Z is CH_2 and m is 0 or 1; Z^1 is $S(O)_2$; and Z^2 is methyl or $-NH_2$.

Claim 19 (Previously Presented): A compound as claimed in claim 1, wherein Q_2 is A^1 and Q_3 is A^2 , wherein A^1 is hydrogen, halo, or C_1 - C_3 alkyl and A^2 is the group defined by $-(Z)_m-(Z^1)-(Z^2)$, wherein Z is CH_2 and m is 0 or 1; Z^1 is $S(O)_2$; and Z^2 is C_1 - C_4 alkyl or NR^8R^9 , and wherein R^8 is hydrogen C_1 - C_4 alkyl, or alkoxy and R^9 is hydrogen, C_1 - C_4 alkyl, or alkoxy.

Claim 20 (Previously Presented): A compound as claimed in claim 1, wherein Q_2 is A^1 and Q_3 is A^2 , wherein A^1 is hydrogen, methyl, or chloro and A^2 is the group defined by $-(Z)_m-(Z^1)-(Z^2)$, wherein Z is CH_2 and m is 0 or 1; Z^1 is $S(O)_2$; and Z^2 is NR^8R^9 , wherein R^8 is methoxy and R^9 is hydrogen.

Claim 21 (Previously Presented): A compound as claimed in claim 1, wherein D is $-NRR^1$, where R is C_1 - C_8 alkyl, aryl, or aralkyl and R^1 is hydrogen; R^2 is C_1 - C_8 alkyl. R^2 is methyl; R^3 is methyl; R^4 is hydrogen; Q_1 is hydrogen, chloro, methyl, or methoxy; Q_2 is A^2 and Q_3 is A^1 , where A^1 is hydrogen or chloro and A^2 is the group defined by $-(Z)_m-(Z^1)-(Z^2)$, where Z is CH_2 and m is 0 or 1; Z^1 is $S(O)_2$; and Z^2 is methyl or $-NH_2$.

Claim 22 (Original): A compound as claimed in claim 1, wherein D is $-NRR^1$, where R is C_1-C_8 alkyl, aryl, or aralkyl and R^1 is hydrogen; R^2 is C_1-C_8 alkyl. R^2 is methyl; R^3 is methyl; R^4 is hydrogen; Q_1 is hydrogen, chloro, methyl, or methoxy; Q_2 is A^1 and Q_3 is A^2 , where A^1 is hydrogen, methyl, or chloro and A^2 is the group defined by $-(Z)_m-(Z^1)-(Z^2)$, where Z is CH_2 and m is 0 or 1; Z^1 is $S(O)_2$; and Z^2 is NR^8R^9 , where R^8 is methoxy and R^9 is hydrogen.

Claim 23 (Currently Amended): A compound as claimed in claim 1, selected from the group consisting of:

N^2 -isopropyl- N^5 , 1-dimethyl- N^5 -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]-1*H*-benzimidazole-2,5-diamine;

N^2 -isopropyl- N^5 , 1-dimethyl- N^5 -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]-1*H*-benzimidazole-2,5-diamine;

1-{4-[(4-{methyl[1-methyl-2-(methylamino)-1*H*-benzimidazol-5-yl]amino}pyrimidin-2-yl)amino]phenyl}methanesulfonamide;

N^2 -benzyl- N^5 , 1-dimethyl- N^5 -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]-1*H*-benzimidazole-2,5-diamine;

N^5 , 1-dimethyl- N^5 -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]- N^2 -phenyl-1*H*-benzimidazole-2,5-diamine; and

5-({4-[[2-(benzylamino)-1-methyl-1*H*-benzimidazol-5-yl](methyl)amino]pyrimidin-2-yl}amino)-*N*-methoxy-2-methylbenzenesulfonamide;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 24 (Currently Amended): A compound as claimed in claim 1, selected from the group:

3-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

5-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidinylamino}-2-methyl-benzenesulfonamide;

(4-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

2-(4-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

3-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*²-(4-fluoro-benzyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-[4-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

3-(4-{{2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{{2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*²-(4-methoxy-benzyl)-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{{2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-[4-(4-{{2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

5-(4-{{2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

3-(4-{{2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

*N*²-(3-fluoro-benzyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{{2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-[4-(4-{{2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

3-(4-[[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-[[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

2-[4-(4-[[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

*N*²-(4-chloro-benzyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁶-dimethyl-1H-benzoimidazole-2,5-diamine;

3-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

5-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-2-methyl-benzenesulfonamide;

*N*²-benzyl-1-ethyl-*N*⁶-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*⁵-methyl-1H-benzoimidazole-2,5-diamine;

(4-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

3-(4-[[2-(2-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylmethyl)-benzenesulfonamide;

5-(4-[[2-(2-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

[4-(4-{{2-(2-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-(4-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

3-(4-{methyl-[1-methyl-2-(1-phenyl-ethylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

2-methyl-5-(4-{methyl-[1-methyl-2-(1-phenyl-ethylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-*N*²-(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

[4-(4-{methyl-[1-methyl-2-(1-phenyl-ethylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

3-(4-{{2-(3-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

3-(4-{{2-(3-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

[4-(4-{{2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

methanesulfonic acid-3-(4-{{2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl}-methyl-amino}-pyrimidin-2-ylamino)-phenyl ester;

N^5 -{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- N^2 -(4-methoxy-benzyl)-1, N^5 -dimethyl-1H-benzoimidazole-2,5-diamine;

N^5 -{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- N^2 -(4-methoxy-benzyl)-1, N^5 -dimethyl-1H-benzoimidazole-2,5-diamine;

N^5 -{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- N^2 -(4-methoxy-benzyl)-1, N^5 -dimethyl-1H-benzoimidazole-2,5-diamine;

N^5 -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- N^2 -(4-methoxy-benzyl)-1, N^5 -dimethyl-1H-benzoimidazole-2,5-diamine;

N^2 -benzyl- N^5 -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, N^5 -dimethyl-1H-benzoimidazole-2,5-diamine;

N^5 -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, N^5 -dimethyl- N^2 -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

N^5 -{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, N^5 -dimethyl- N^2 -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

N^5 -{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, N^5 -dimethyl- N^2 -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

2-methyl-5-(4-{methyl-[1-methyl-2-(4-methyl-benzylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

N^5 -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, N^5 -dimethyl- N^2 -(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

*N*⁵-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-*N*²-(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

*N*⁵-{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*⁵-dimethyl-*N*²-(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

*N*⁵-{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*⁵-dimethyl-*N*²-(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine; and

*N*⁵-{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*⁵-dimethyl-*N*²-(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 25 (Currently Amended): A compound as claimed in claim 1, selected from the group:

(1-methyl-5-{methyl-[2-(3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-phenyl-carbamic acid tert-butyl ester;

3-{4-[methyl-(1-methyl-2-phenylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

(1-methyl-5-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-phenyl-carbamic acid tert-butyl ester;

*N*⁵-[2-(3-methanesulfonyl-4-methyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-*N*²-phenyl-1H-benzoimidazole-2,5-diamine;

*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-*N*²-phenyl-1H-benzoimidazole-2,5-diamine;

(4-{4-[methyl-(1-methyl-2-phenylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

methanesulfonic acid 4-{4-[methyl-(1-methyl-2-phenylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl ester;

3-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*²-(4-fluoro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

methanesulfonic acid 4-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl ester;

methanesulfonic acid 3-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl ester;

*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-*N*²-p-tolyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-tert-butyl-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

3-(4-{[2-(4-tert-butyl-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-[[2-(4-tert-butyl-phenylamino)-1-methyl-1H-benzimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*²-(4-tert-butyl-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-1H-benzimidazole-2,5-diamine;

(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzimidazol-2-yl)-(4-methoxy-phenyl)-carbamic acid tert-butyl ester;

*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*²-(4-methoxy-phenyl)-1, *N*⁵-dimethyl-1H-benzimidazole-2,5-diamine;

(4-methoxy-phenyl)-(1-methyl-5-{methyl-[2-(4-sulfamoylmethyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzimidazol-2-yl)-carbamic acid tert-butyl ester;

[4-(4-[[2-(4-methoxy-phenylamino)-1-methyl-1H-benzimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

(5-{[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzimidazol-2-yl)-(4-methoxy-phenyl)-carbamic acid tert-butyl ester;

*N*⁵-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*²-(4-methoxy-phenyl)-1, *N*⁵-dimethyl-1H-benzimidazole-2,5-diamine;

[5-([2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl]-methyl-amino)-1-methyl-1H-benzimidazol-2-yl]-[4-methoxy-phenyl)-carbamic acid tert-butyl ester;

*N*⁵-[2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl]-*N*²-(4-methoxy-phenyl)-1, *N*⁵-dimethyl-1H-benzimidazole-2,5-diamine; and

*N*⁵-{2-[3-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-*N*²-(4-methoxy-phenyl)-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 26 (Currently Amended): A compound as claimed in claim 1, selected from the group:

3-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

2-chloro-5-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

5-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-2-methyl-benzenesulfonamide;

2-(4-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

methanesulfonic acid 4-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl ester;

methanesulfonic acid 3-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl ester;

*N*²-isopropyl-*N*⁵-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

3-[4-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-ylamino)-pyrimidin-2-ylamino]-benzenesulfonamide;

2-methyl-5-{4-[methyl-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

(4-{4-[methyl-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-*N*²-phenethyl-1H-benzoimidazole-2,5-diamine;

2-(4-{4-[methyl-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

*N*²-tert-Butyl-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*²-cyclohexyl-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

5-{4-[(2-cyclohexylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-2-methyl-benzenesulfonamide;

*N*²-cyclohexyl-*N*⁵-{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*²-cyclohexyl-*N*⁵-{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyridin-4-yl}-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*²-cyclohexyl-*N*⁵-{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

2-methyl-5-{4-[methyl-(1-methyl-2-methylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

(4-{4-[methyl-(1-methyl-2-methylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

3-{4-[methyl-(1-methyl-2-methylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

*N*⁵-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*², *N*⁵-trimethyl-1H-benzoimidazole-2,5-diamine; and

(4-{4-[(1-ethyl-2-methylamino-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 27 (Currently Amended): A compound as claimed in claim 1, selected from the group:

*N*¹-methyl-*N*⁵-[2-(4-Methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*⁵-methyl-*N*²-(4-trifluoromethyl-phenyl)-1H-benzoimidazole-2,5-diamine;

*N*²-(3-chloro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*¹,*N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*²-(4-chloro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*¹,*N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*²-(2,4-dichloro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*¹,*N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*²-(2,5-dichloro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*¹,*N*⁵-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*²-(2-chloro-4-trifluoromethyl-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*²-(2-chloro-5-trifluoromethyl-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl- *N*²-(4-morpholin-4-yl-phenyl)-1*H*-benzoimidazole-2,5-diamine;

*N*²-(3-fluoro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*²-(2,4-difluoro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*²-(2-chloro-4-fluoro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*²-(4-chloro-2-fluoro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*²-(2-chloro-5-fluoro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*²-(2-fluoro-4-methyl-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*²-(2-fluoro-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*²-(2-fluoro-5-trifluoromethyl-phenyl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹,*N*⁵-dimethyl-1*H*-benzoimidazole-2,5-diamine;

4-{4-[methyl-(1-methyl-2-methylsulfanyl-1*H* -benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzene sulfonamide;

4-{4-[(2-methanesulfinyl-1-methyl-1*H* --benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

4-(4-{methyl-[1-methyl-2-(4-trifluoromethyl-phenylamino)-1*H*-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

(methyl-nitro-1H-benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl)-amine;

(methyl-nitro-1H -benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl)-carbamic acid dimethyl-ethyl ester;

(amino-methyl-1 -benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl)-carbamic acid dimethyl-ethyl ester;

[(2-chloro-pyrimidin-4-yl)-methyl-amino]-methyl-1H -benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl) -carbamic acid dimethyl-ethyl ester; and

*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*¹, *N*⁵-dimethyl- *N*²-(3-trifluoromethyl-phenyl)-1H-benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 28 (Currently Amended): A compound as claimed in claim 1, selected from the group:

*N*²-(5-tert-butyl-isoxazol-3-yl)-*N*⁵ [2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,*N*⁵-dimethyl-1H-methyl-amino -benzoimidazole-2,5-diamine;

*N*²-(5-tert-butyl-isoxazol-3-yl)-*N*⁵-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1H-benzoimidazole-2,5-diamine;

*N*²-(5-tert-butyl-isoxazol-3-yl)-*N*⁵--[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1H--benzoimidazole-2,5-diamine;

*N*²-(5-tert-butyl-isoxazol-3-yl)-*N*⁵-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,*N*⁵-dimethyl-1-H-benzoimidazole-2,5-diamine;

*N*²-(5-tert-butyl-isoxazol-3-yl)-*N*⁵-[2-(3-methanesulfonyl-4-methyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1H-benzoimidazole-2,5-diamine;

5-(4-{[2-(5-tert-butyl-isoxazol-3-ylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*²-(6-fluoro-4-H benzo[1,3]dioxin-8-ylmethyl)- *N*⁵ -[2-(3-methanesulfonyl-4-methyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1H-benzoimidazole-2,5-diamine; and

*N*²-(5-tert-butyl-isoxazol-3-yl)-1-methyl-*N*⁵- {2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-1H -benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 29 (Currently Amended): A compound as claimed in claim 1, selected from the group:

N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)-*N'*-phenylurea;

N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)benzamide;

N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)indoline-1-carboxamide;

N-(5-tert-butylisoxazol-3-yl)-*N'*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)urea;

N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)-2-phenylacetamide;

N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)-1-phenylcyclopropanecarboxamide;

N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)isonicotinamide;

N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)cyclohexanecarboxamide;

2-(benzyloxy)-*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)acetamide;

2-(3-methylisoxazol-5-yl)-*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)acetamide; and

3-[(dimethylamino)methyl]-*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)benzamide;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 30: (Currently Amended): A compound as claimed in claim 1,
selected from the group:

N-({[3-(4-methanesulfonylmethyl-phenylamino)-phenyl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-*C*-thiophen-2-yl-acetamide;

C-fluoro-*N*-({[3-(3-methanesulfonylmethyl-phenylamino)-phenyl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-trifluoromethyl-benzamide;

difluoro-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-benzamide;

N-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-3,5-bis-trifluoromethyl-benzamide;

cyclohexanecarboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

N-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-methyl-benzamide;

N-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-4-methoxy-benzamide;

C-(chloro-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(3,5-bis-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

N-(5-{[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-2-(3-trifluoromethylsulfonyl-phenyl)-acetamide;

(2,4-bis-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2-fluoro-5-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

3H-benzotriazole-5-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

3H-benzoimidazole-5-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

thiophene-2-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

thiophene-3-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

N-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-*C*-thiophen-2-yl-acetamide;

3-methyl-thiophene-2-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

furan-3-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

3-methyl-furan-2-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

N-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-2-(3-methyl-isoxazol-5-yl)-acetamide;

C-(chloro-trifluoromethyl-phenyl)-*N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

N-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-2-(3-trifluoromethylsulfanyl-phenyl)-acetamide;

C-(fluoro-trifluoromethyl-phenyl)-N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-dimethyl-butylamide;

2-propyl-pentanoic acid ([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-amide;

N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-isobutylamide;

cyclopropanecarboxylic acid ([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-amide;

N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-4-methoxy-benzamide;

4-methoxy-N-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-benzamide;

furan-2-carboxylic acid ([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-amide;

N-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-C-thiophen-2-yl)-acetamide;

C-(chloro-trifluoromethyl-phenyl)-N-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-acetamide;

4-methoxy-N-[methyl-(methyl-[2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl]-amino)-1H-benzoimidazol-2-yl]-benzamide;

N-[methyl-(methyl-[2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl]-amino)-1H-benzoimidazol-2-yl]-C-thiophen-2-yl)-acetamide;

thiophene-2-carboxylic acid [methyl-(methyl-[2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl]-amino)-1H-benzoimidazol-2-yl]-amide;

furan-2-carboxylic acid [methyl-(methyl-{2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

N-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-2-(3-methyl-isoxazol-5-yl)-acetamide;

furan-2-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

2-(3-methyl-isoxazol-5-yl)-*N*-[methyl-(methyl-{2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-acetamide;

3-methyl-furan-2-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

N-[methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-C-thiophen-2-yl-acetamide;

thiophene-2-carboxylic acid [methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

furan-2-carboxylic acid [methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

2-(3-methyl-isoxazol-5-yl)-*N*-[methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-acetamide;

N-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-dimethyl-butyramide;

N-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-propionamide;

pentanoic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

N-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-butyramide;

phenyl- *N* -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

phenylcyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

1-(2,5-difluoro-phenyl)-cyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;

1-(4-chloro-phenyl)-cyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;

2-(4-fluoro-phenyl)- *N* -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

(3,5-bis(trifluoromethyl)-phenyl)- *N* -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

(3,4-dichlorophenyl)- *N* -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

1-(2,5-difluorophenyl)-cyclopropanecarboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

(2,5-difluorophenyl)- *N* -({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(3,4-dichlorophenyl)- *N* -({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

1-(2,5-difluorophenyl)-cyclopropanecarboxylic acid ({[2-(5-ethanesulfonyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;

(2,5-difluorophenyl)- *N* -({[2-(5-ethanesulfonyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

1-(3,4-dichlorophenyl)-cyclopropanecarboxylic acid ({[2-(5-ethanesulfonyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;

3,4-dichlorophenyl- *N*-({[2-(5-ethanesulfoyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

1-(2,5-difluorophenyl)-cyclopropanecarboxylic acid (methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H -benzoimidazol-2-yl)-amide;

1-(3,4-dichlorophenyl)-cyclopropanecarboxylic acid (methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H -benzoimidazol-2-yl)-amide;

(3,4-dichlorophenyl)- *N*-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amin o}-1H -benzoimidazol-2-yl)-acetamide;

2-(2,3-dimethoxyphenyl)- *N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(2-methoxyphenyl)-*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3-methoxyphenyl)-*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3-methoxyphenyl)-*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(2-fluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3-fluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2,5-difluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2,3-difluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3,4-dimethoxyphenyl)- *N*-(5-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2,5-difluorophenyl)- *N*-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-acetamide;

1-(3,4-dichloro-phenyl)-cyclopropanecarboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

2-(2-chlorophenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3-chlorophenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(4-chlorophenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3,5-dimethoxyphenyl)- *N*-(5-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(2,5-dimethoxyphenyl)- *N*-(5-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2,5-dichlorophenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-methyl-C-phenyl-butyramide;

(3,5-dimethylphenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)- phenyl-isobutyramide; and

benzo[1,3]dioxol-5-yl-*N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

or a salt, ~~solvate, or physiologically functional derivative~~ thereof.

Claim 31 (Currently Amended): A pharmaceutical composition, comprising: a therapeutically effective amount of a compound as claimed in claim 1, or a salt, ~~solvate, or a physiologically functional derivative~~ thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.

Claim 32 (Original): The pharmaceutical composition of claim 31, further comprising at least one additional anti-neoplastic agent.

Claim 33 (Original): The pharmaceutical composition of claim 31, further comprising an additional agent which inhibits angiogenesis.

Claims 34-60 (Cancelled):